

Work Order ID 62560

October 4, 2010 11:19:03 AM

shp Oct. 6



Page 1

Item ID: D3137-3

Accept



Setup Start



Revision ID:

Stop



Item Name: Guide

Start Date: 10/04/10 Start Qty: 12.00



Cust Item ID:

Required Date: 10/06/10 Req'd Qty: 12.00



Customer:

Reference:

Approvals:

Process Plan: *W*

Date:

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D3137

Rev F

100

0.00



BAND SAW

Bandsaw

Memo

0.00

Jeaspa Bandsaw

Cut Blanks. Blank size: 1.250" x .750" x .950" long

SL 10/10/05

110

0.00



HAAS CNC VERTICAL MACHINING #1

HAAS I

Memo

0.00

HAAS CNC vertical machine #1

1-Machine as per Folio FA242 & Dwg D3137: 2-Deburr

SL 10/10/05

12

120

0.00



QC2- Inspect parts off machine FAI/FAIB

QC

Memo

0.00

Quality Control

SL 10/10/05

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 62560

October 4, 2010 11:19:03 AM



Page 2

Item ID: D3137-3

Accept



Setup Start



Revision ID:

Stop



Item Name: Guide

Start Date: 10/04/10 Start Qty: 12.00



Cust Item ID:

Required Date: 10/06/10 Req'd Qty: 12.00

Customer:

Reference:

Run Start



Approvals:

Process Plan:

Date:

Tooling:

Date:

Stop



QC:

Date:

SPC (Y/N):

Date:

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

130

QC8- Inspect parts - second check

0.00

QC

Memo

0.00

Quality Control

10/10/05

12 0

140

Identify as per dwg & Stock Location: 335B

0.00

Packaging

Memo

0.00

Packaging

10/10/05 120 8

150

QC21- Final Inspection - Work Order Release

0.00

QC

Memo

0.00

Quality Control

10/10/05

CL 10/10/05

Picklist Print

October 4, 2010 11:19:02 AM

Page 1

Work Order ID: 62560

Parent Item: D3137-3

Parent Item Name: Guide



Start Date: 10/04/10

Required Date: 10/06/10

Start Qty: 12.00


Required Qty: 12.00

Comments: IPP Rev:A 102.05.29 New Issue NG
 IPP Rev:B 08-05-23 revE as per dwg DD verified by:EC
 IPP Rev c 08.07.03 ECN1207 EC verified by DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
MDELRINB0.75X1.250		Purchased	No			100	f	36.4824	0.0791	0.999158			



Delrin Bar

 2L 10/10/05

Location

Loc Qty

Loc Code

MAT050

36.4824

14535

36.4824

1.0


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries



D3137-041 BRACKET ASSEMBLY



D3137-043 BRACKET ASSEMBLY




D3137-045 BRACKET ASSEMBLY

RELEASED
08-06-26


u1062560

F	REDRAWN & REFORMATTED IN SOLIDWORKS. SHEET 3 ZONE A.5 DIM 2.36 WAS 2.48. ZONE A.4 0.480 DIM WAS 0.605. ZONE A.8 0.67 DIM WAS 0.79. ZONE B.5 4.850 DIM WAS 4.975 & ZONE B.8 5.29 DIM WAS 5.41. REASON: PART TRIMMED DUE TO INTERFERENCE WITH EXECUTIVE INTERIOR.	AJS	08.05.30
E	ADD -045	RF	05.11.23
D	RE-DESIGN D3137-5; CHANGE DIMS	DS	04.11.03
C	ADD -043	DS	03.08.15
B	ADD RIDGES; ADD MATERIAL PROP	DS	03.01.16
A	NEW ISSUE	DS	02.04.17
REV.	DESCRIPTION	BY	DATE
DESIGN	DS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. F
MFG. APPR.	<i>[Signature]</i>	D3137	SHEET 1 OF 5
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	BRACKET ASSEMBLY	NTS
DATE	08.05.30	<small>COPYRIGHT © 2002 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>	


QTY. -041	QTY. -043	QTY. -045	PART NUMBER	DESCRIPTION
X			D3137-041	BRACKET ASSEMBLY
	X		D3137-043	BRACKET ASSEMBLY
		X	D3137-045	BRACKET ASSEMBLY
1			D3137-1	BRACKET
1	1	1	D3137-3	GUIDE
1	1	1	D3137-5	WASHER
	1		D3137-7	BRACKET
		1	D3137-9	BRACKET
1	1	1	MS24694-S101	SCREW



D3137-041 BRACKET ASSEMBLY



D3137-043 BRACKET ASSEMBLY




D3137-045 BRACKET ASSEMBLY

NOTES:




- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.18 lbs -041
: 0.32 lbs -043
: 0.27 lbs -045

RELEASED
28-06-26/10



DESIGN	DS	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. F
MFG. APPR.		D3137	SHEET 2 OF 5
APPROVED		TITLE	SCALE
DE APPR.		BRACKET ASSEMBLY	NTS
DATE	08.05.30	COPYRIGHT © 2002 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	



D3137-1 BRACKET



D3137-7 BRACKET




NOTES:




- 1) MATERIAL: -1 & -7
17-4PH STAINLESS STEEL
PER AMS 5604 OR 5643
MIN ULTIMATE TENSILE = 150 ksi
MIN YIELD TENSILE = 100 ksi
PER DART SPEC. M17-4-B
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.015 MAX
- 6) IDENTIFICATION: ENGRAVE DART LOGO USING 0.20 HIGH LETTERS & P/N WITH USING 15 HIGH LETTERS TO A MAX. DEPTH OF 0.010
- 7) SCRIBE WITH DART B/N USING VIBRATING STYLUS
- 8) WEIGHT: SEE ASSEMBLED WEIGHT ON SHEET 2
- 9) -1 REPLACES PREMIER P/N B30-23000-105/-105

RELEASED


DESIGN	DS	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. F
MFG. APPR.		D3137	SHEET 3 OF 5
APPROVED		TITLE	SCALE
DE APPR.		BRACKET ASSEMBLY	NTS
DATE	08.05.30	<small>COPYRIGHT © 2002 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMERCE TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	




D3137-9 BRACKET




DETAIL A
(SLOT DETAIL)



DETAIL B
(SLOT DETAIL)





SECTION C-C
(SLOT DETAIL)



DETAIL D
SCALE 2X
(TYPICAL RIDGE DETAIL)



NOTES:

- 1) MATERIAL: 17-4PH STAINLESS STEEL
PER AMS 5604 OR 5643
MIN ULTIMATE TENSILE = 150 ksi
MIN YIELD TENSILE = 100 ksi
PER DART SPEC. M17-4-B
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.015 MAX
- 6) IDENTIFICATION: ENGRAVE DART LOGO USING 0.20 HIGH LETTERS & P/N WITH USING .15 HIGH LETTERS TO A MAX. DEPTH OF 0.010.
- 7) SCRIBE WITH DART B/N USING VIBRATING STYLUS
- 8) WEIGHT: SEE ASSEMBLED WEIGHT ON SHEET 2
- 9) REPLACES PREMIER P/N B30-23000-105/-106



DESIGN	DS	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. F
MFG. APPR.		D3137	SHEET 4 OF 5
APPROVED		TITLE	SCALE
DE APPR.		BRACKET ASSEMBLY	NTS
DATE	08.05.30	COPYRIGHT © 2002 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

RELEASED
08-06-26 MJD


62560



D3137-3 GUIDE



D3137-5 WASHER



NOTES:

- 1) MATERIAL: -3
DELIN II 150E OR ACETRON GP ACETAL, BAR
(REF DART SPEC M-DELIN-B)
- 5
6061-T6 (OR 6061-T651/ T6510/ T6511/ T62) ALUMINUM BAR
PER-AMS-QQ-A-225/8 (OR AMS 4117/ 4128/ 4145/ 4116)
OR PER-QQ-A-200/8 (OR AMS 4160)
REF. DART SPEC M6061T6R
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 (-5 ONLY)
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.015 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: SEE ASSEMBLED WEIGHT ON SHEET 2
- 8) -3 REPLACES PREMIER P/N B30-2300-207
-5 REPLACES PREMIER P/N B30-2300-209

RELEASED

DESIGN	DS	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. F
MFG. APPR.		D3137	SHEET 5 OF 5
APPROVED		TITLE	SCALE
DE APPR.		BRACKET ASSEMBLY	NTS
DATE	08.05.30	<small>COPYRIGHT © 2002 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	